

System Test Device MIREL VZT

Type **VZT.4**

illustrative picture

System test device MIREL VZT provides primarily this functions:

code current simulation of line-type train protection, including their modulation for code sensors MIREL SN and simulation of signals from incremental axle speed sensor.

Apart from essential functions, it can carry out also secondary functions:

automatic execution of entire test procedures (scripts), option of manual setting for all output quantities, accessories integrity check for infrastructure simulations, power supply check as well as simulation of incremental axle speed sensor power input, simulation of LS, EVM and also SHP infrastructures, simulation of analogue current loops 4-20mA.

The tester disposes a control user interface and for its control it is necessary to connect to a PC with MAP software with VZTUI module.



Nomenclature

VZT.4.SWK
— Modification
— Software version

Modifications

Designation	Software version	Supply voltage [VDC]	Modification	Dimensions W x H x T [mm]	Weight [kg]
VZT.4.01A	01	5	A	420 x 174 x 331	8,4

Modifications prepared for new applications

No record.

Accessories standard set

Designation	Description	Number of pieces
KSV.1.1	Simulated code transmitter of infrastructure LS and EVM	2
PKSV.2.10	Connecting conductor of simulated code transmitter – length 10 m	1
PIRC.1.8	Connecting conductor for axle speed sensor simulation – length 8 m	1
ATM.4.01B	Communication interface with computer – length 15m	1
PBUSB.1.1	Portable power supply source of control electronics	2
	Resistant plastic case	1
	Operating and maintenance manual of MIREL VZT test device	1

Optional accessories to the standard set

Designation	Description	Notes
KSP.1.1	Simulator SHP rail infrastructure -- length 8 m	
KSPD.1.1	Holder of KSP accessories for MIREL SHPA antennas	1)
PPIRC.1.12	Extension cable for axle speed sensor simulation – length 12 m	
PPIRC.1.20	Extension cable for axle speed sensor simulation – length 20 m	
PST.1.8	Connection cable for pressure sensor simulation – length 8 m	
WSR.1.3	Reducer piece from WAGO connector to HARTING, type HAN10ESS	

Designation	Description	Notes
WSRR.1.0	Adapter piece for connection of WSR.0.x reducers	
WSR.0.0	Reducer piece from WAGO connector to connector of LTV11 sensors	
WSR.0.1	Reducer piece from WAGO connector to HARTING, type HAN6ESS	
WSR.0.2	Reducer piece from WAGO connector to SECHERON, type ITT-VEAM	
WSR.0.4	Reducer piece from WAGO connector to HARTING, type HANQ12M	
WSR.0.6	Reducer piece from WAGO connector to HARTING, type HAN10ESS, only for TRAXX BT	
WSR.0.7	Reducer piece from WAGO connector to HARTING, type HAN10DDD	
WSR.0.8	Reducer piece from WAGO connector to ILME, type MIXO	
WSR.0.9	Reducer piece from WAGO connector to HARTING, type HAN12DD	
WSR.0.10	Reducer piece from WAGO connector to HARTING, type HAN10EE	
WSR.0.11	Reducer piece from WAGO connector to GIMOTA, type GR601	

¹⁾ 2 pieces of holders KSPD.1.1 are required for mounting the KSP accessories to the MIREL SSHA antenna

Specifications

Catalogue sheet was prepared based on the following specifications:

Number	Version	Title
2339VZT	200515	VZT.4 Technical conditions
2337VZT	200720	VZT.4 Operating and maintenance manual
2296MAP	191230	MAP Catalogue sheet

Usage

MIREL VZ1 – train protection system
MIREL RM1 – registration speed meter
MIREL RM2 – integrated on-board system
MIREL RS812 – control system
MIREL RS813 – control system
MIREL RS361 – control system
MIREL RS363 – control system

Modifications prepared for new applications

No record.